CLAYTON TACIT Safety Data Sheet according to Regulation (EC) No. 830.2015. Version 1/dsc 26/07/2019 This version replaces all previous versions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier CLAYTON TACIT
- 1.2. Relevant identified uses of the substance or mixture and uses advised. HERBICIDE
- 1.3. Details of the supplier of the safety data sheet: Marketing Company in Ireland Clayton Plant Protection Ltd., Bracetown Business Park, Clonee, Dublin15. Ireland. Tel: (00 353) 1 8210127 wwww.claytonpp.com Email: info@claytonpp.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008

H302 Harmful if swallowed

H373 May cause damage to organs through prolonged or repeated exposure. H410

Very toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) 1272/2008







Signal word(s) WARNING Hazard Statements:

H302: Harmful if swallowed.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

General - Prevention:

P260: Do not breathe spray.

P270: Do not eat, drink or smoke when using this product.

P280: Wear suitable protective gloves Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

P391: Collect spillage. Storage: - Disposal:

P501: Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Supplemental information:

EUH401: To avoid risks to human health and the environment, comply with the instructions for use.

SP 1: Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

SPo 2: Wash all protective clothing after use.

SPe 3: To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements.

2.3 Other hazards None known

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

Description of the mixture: Mixture of flufenacet and co-formulants.

Chemical Name	CAS-No.	EC-No.	Index	Concentration	CLP (Reg. 1272/2008)	
			No.	(W/W)	Classification	
Flufenacet	142459-58-3	-	-	48%	Acute Tox. 4, H302 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Propylene glycol	57-55-6	200-338-0	-	5-10 %	-	
Sodium alkylnaphthalene sulphonate,	Not available	None,		2-5 %	Skin Irrit. 2, H315 Eye	
formaldehyde condensate		polymer			Irrit. 2, H319	
Other ingredients				to 100%	Not classified	

Additional information - For full text of H-phrases and abbreviations, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General notes: If symptoms occur after exposure to this product, seek medical attention immediately and show the product label or this SDS. Remove to fresh air and keep at rest. Do not allow smoking or eating. Take off all contaminated clothing and footwear.



CLAYTON TACIT Safety Data Sheet according to Regulation (EC) No. 830.2015. Version 1/dsc 26/07/2019 This version replaces all previous versions

Following inhalation: Remove to fresh air and keep at rest in half-upright position. Seek medical attention immediately. Following skin contact: Remove all contaminated clothing. Wash skin with soap and rinse with plenty of water. Seek medical attention if irritation arises. Wash clothes before re-use.

Following eye contact: Immediately rinse with water. Holding eyes open, continue rinsing for 15 minutes at least. Remove contact lenses as soon as possible. Seek medical attention if symptoms develop.

Following ingestion: If swallowed, DO NOT INDUCE VOMITING: seek medical advice immediately and show this container or label. Remove any residues from mouth and rinse it with plenty of water. Offer the casualty 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person.

Self-protection of first aider

Personal protective equipment for first aid responders is recommended according to potential for exposure (refer to Section 8).

4.2 Most important symptoms and effects, both acute and delayed. The symptoms and the effects indicated in this section refer to an accidental exposure scenario.

Following inhalation: Possible slight nasal irritation and discharge. May cause delayed health effects. Following skin contact: Possible slight transitory redness. No delayed effects expected.

Following eye contact: Possible slight transitory redness and swelling. No delayed effects expected.

Following ingestion: Possible mild gastrointestinal effects. May cause serious damage to health by prolonged exposure if swallowed.

4.3 Indication of immediate medical attention and special treatment needed No need to provide any special means/medicinal products for immediate treatment at the workplace.

Notes for the doctor: No specific antidote. Treat symptomatically (decontamination, vital functions). Call a Poison Centre immediately for treatment advice. In case of ingestion gastric lavage may be necessary (with proper laryngeal control). Before emptying the stomach, assess the potential danger arising from lung aspiration against the product toxicity.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide, water spray, alcohol-resistant foam, dry chemical for small fires, alcohol-resistant foam or water spray for large fires. Unsuitable extinguishing media: Solid water jet.

5.2 Special hazards arising from the mixture

Hazardous combustion products Evolves toxic and corrosive fumes in fire including hydrogen fluoride, nitrogen and sulphur oxides, hydrogen cyanide.

5.3 Advice for fire-fighters Clothing conforming to EN469 should be sufficient to deal with fires involving the mixture. However, a Self-Contained Breathing Apparatus (SCBA) may be required if there is a potential for exposure to combustion fumes.

5.4 Additional information

Provide storage and work areas with suitable fire extinguishers. Call the Fire Brigade at once to deal with all fires involving pesticides unless the fire is small and immediately controllable. Spray unopened containers with a mist spray to keep cool. If without risk, remove intact containers from exposure to fire. Contain firefighting water, bunding if necessary with sand or earth. Do not allow contamination of public drains or surface or ground waters. Dispose of fire debris and contaminated water as advised in the MAFF/HSE "Pesticides: Code of Practice for the Safe Use of Pesticides on Farms and Holdings".

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures
- 6.1.1 For non-emergency personnel Protective equipment: Remove immediately any contaminated clothing. Wear prescribed personal protective equipment to prevent contact with eyes and skin. A Self-Contained Breathing Apparatus (SCBA) may be required if there is an elevated risk for exposure.

Emergency procedures: Call the emergency services if the release is not immediately controllable. If the release is localized and immediately controllable, provide sufficient ventilation and control the release at its source.

6.1.2 For emergency responders Clothing conforming to EN469.

6.2 Environmental precautions. Use appropriate containment to avoid environmental contamination. Control the release at its source. Contain the spill to prevent it from spreading, contaminating soil or entering sewage and drainage systems or any body of water. Inform the local water company if the release enters drains and the Environment Agency (England and Wales), the Scottish Environmental Protection Agency (Scotland) or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters.

6.3 Methods and material for containment and cleaning up

For containment Clean up spills immediately and place in a compatible disposal container. Contain spill by diking with earth, sand or non-combustible absorbent material and place into a compatible marked disposal container. For cleaning up Scrub area with a hard water detergent. Soak up wash liquid with additional absorbent material and place into a compatible marked disposal container. Seal container and arrange for disposal. Other information Not Applicable

6.4 Reference to other sections Refer to Section 8 for personal protective equipment and to Section 13 for disposal instructions



CLAYTON TACIT Safety Data Sheet according to Regulation (EC) No. 830.2015. Version 1/dsc 26/07/2019 This version replaces all previous versions

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide suitable ventilation in the areas where the product is stored and used. Contaminated work clothing should not be allowed out of the workplace. Avoid all contact by mouth, with eyes and skin. Wear personal protective equipment as specified in Section 8. When using, do not eat, drink or smoke. Remove contaminated clothing and protective equipment before meals and after work. Wash hands and exposed skin before meals and after work. Wash all protective clothing thoroughly after use, especially the insides of gloves.

7.2 Conditions for safe storage, including any incompatibilities

The mixture is stable under normal ambient conditions. Keep in original container, in a dry, cool and safe place. Store in a locked, suitable store. Keep away from any source of ignition. Keep out of the reach of children and unauthorised personnel. Keep away from food, drink and animal feeding stuffs.

7.3 Specific end use(s.) Product for professional use as directed by the product label, every other use is hazardous.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure limit values Occupational Exposure limit values have been set for the following component.

Occupational I	Exposure Levels					
Ingredient	8h –TWA		Short-term			Reference
	mg/m3	ppm	mg/m3	ppm		
Propylene glycol	474	150	-	-	total vapour and particulates	EH40
	-	-	10	-	particulates	

Information on monitoring procedures - None available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Engineering controls and appropriate work processes must be used to eliminate or reduce worker and environmental exposure in the areas where the substance is handled, transported, loaded, unloaded, stored and used. These measures must be adequate for the extent of the actual risk. Provide adequate local exhaust ventilation. Use specialized transfer systems if available. Arrange for eye wash facility.

8.2.2 Personal protection equipment

Eye and face protection: Avoid contact with eyes. If there is a significant potential for contact, wear suitable eye and face protection (EN 166).

Skin protection: Hand protection: Wear suitable protective gloves against chemicals (EN 374 part 1, 2, 3). Nitrile rubber min. 0.5mm thick and 300mm long gloves are the ones proven to be the most suitable according to tests on pesticide products. Wash the gloves thoroughly after each use, especially the insides. Replace gloves if damaged and before exceeding the breakthrough time.

Body protection: Avoid contact with skin. If there is a significant potential for contact, wear suitable coveralls (ISO 13982-1, Type 5, EN 13034, Type 6).

Other skin protection: None specified.

Respiratory protection: No special requirement when used as recommended. If a risk assessment shows that engineering controls do not provide adequate respiratory protection to exposure to spray particles, wear particle filtering half mask (EN 149) or half mask connected to particle filter (EN 140 + 143).

8.2.3 Environmental exposure controls. Implement all applicable local and community environmental protection legislation. Refer to Section 15. Use appropriate containment to avoid environmental contamination. Do not empty into drains. Do not contaminate water with the product or used container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads. Refer to Section 12 and 13.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties All the data contained in this section are derived from actual test data on the mixture or its components unless otherwise stated. a) Appearance: Colour: Liquid Offwhite/light brown

- b) Odour: Mild paraffinic
- c) Odour threshold: Not determined not required under all applicable pesticide legislation.
- d) pH: 8.0 undiluted formulation (22°C) 7.7 (1% dilution in water) (23°C)
- e) Melting point /freezing point: Not applicable the mixture is a liquid at ambient temperature and must be protected from frost
- f) Initial boiling point and boiling range: Approximately 100 °C
- g) Flash point: No flash was detected at or below 100°C the mixture is water-based
- h) Evaporation rate: Not available not required under all applicable pesticide legislation.
- i) Flammability (solid, gas): Not applicable (liquid)
- j) Upper/lower flammability or explosive limits: Not applicable the mixture is water-based



<u>CLAYTON TACIT</u> Safety Data Sheet according to Regulation (EC) No. 830.2015. Version 1/dsc 26/07/2019 This version replaces all previous versions

- k) Vapour pressure: No significant volatility the mixture is water-based
- Vapour density: Not applicable not required under all applicable pesticide legislation. m) Density: 1.185 g/cm3 at 20°C
- n) Solubility(ies) Solubility (water): Completely miscible in water
- o) Partition coefficient: n octanol/water: Not available
- p) Auto ignition temperature: >400C. Minimum Ignition Temperature: Not available.

Minimum Ignition Energy: Not available

- q) Decomposition temperature: Not available
- r) Viscosity: 131 mPa.s at 20°C, 75 mPa.s at 40°C
- s) Explosive properties: Explosion hazard: not explosive.
- t) Oxidising proper ties: Not an oxidising agent.
- 9.2 Other information: Surface tension: 33.0 mN/m. Flammability (in contact with water): Not flammable

10. STABILITY AND REACTIVITY

- 10.1 Reactivity Non-reactive when stored in original container under normal conditions of storage and use.
- 10.2 Chemical stability Stable when stored in original container under normal conditions of storage and use.
- 10.3 Possibility of hazardous reactions No hazardous reactions when stored in original container under normal conditions of storage and use. Reacts with strong bases and strong oxidising substances.
- 10.4 Conditions to avoid Do not store in proximity of sources of ignition and direct sunlight.
- 10.5 Incompatible materials Avoid contact with strong bases and strong oxidising substances.
- 10.6 Hazardous decomposition products During decomposition evolves toxic fumes including hydrogen fluoride, nitrogen and sulphur oxides, hydrogen cyanide.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

- 11.1.2 Mixtures Data based either on mixture test data or on individual components as indicated.
- a) Acute toxicity: LD50 oral, rat: 300-2000 mg/kg bw harmful by ingestion LD50 dermal, rabbit: >2000 mg/kg bw LC50 inhalation, rat (4h): >2.95 mg/l
- Skin corrosion/irritation Not classified as corrosive or as a skin irritant under Regulation (EC) 1272/2008)
- c) Serious Eye Damage/irritation Not classified as corrosive or as an eye irritant under Regulation (EC) 1272/2008)
- d) Respiratory or skin sensitization: The product is not classified as a respiratory or skin sensitizer in animal studies
- e) Germ cell mutagenicity Not classified as mutagenic on the basis of mixture component information
- f) Carcinogenicity: Not classified as carcinogenic on the basis of mixture component information
- g) Reproductive toxicity Not classified as a reproductive toxicant on the basis of mixture component information
- h) STOT-single exposure: Not classified as hazardous for single dose toxicity on the basis of mixture component information
- STOT-repeated exposure Danger of serious damage to health by prolonged exposure if swallowed.
 Classification

due to Flufenacet.

j) Aspiration hazard: Not classified as hazardous by aspiration on the basis of mixture component information Likely routes of exposure and related long and short term symptoms and health effects:

Inhalation: There is a low risk of exposure by inhalation. Short-term symptoms and effects: Possible slight nasal irritation and discharge. Long-term symptoms and effects: No evidence of long-term effects after prolonged or repeated exposure.

Eye contact: There is a risk of exposure by eye contact. Short-term symptoms and effects: Possible slight transitory redness and swelling. Long-term symptoms and effects: No evidence of long-term effects after prolonged or repeated exposure.

Skin contact: There is a risk of exposure by skin contact. Short-term symptoms and effects: Possible slight transitory redness. Long-term symptoms and effects: No evidence of long-term effects after prolonged or repeated exposure. Ingestion: There is a very low risk of accidental exposure by ingestion. Short-term symptoms and effects: Harmful if swallowed with effects on the gastrointestinal tract. Long-term symptoms and effects: Evidence of long-term effects after prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

All the information and data contained in this section are derived from data on the test product except where indicated. 12.1 Toxicity

Acute Toxicity

LC50 fish, Oncorhynchus mykiss (96h): 33.9 mg/l EC50 aquatic invertebrates, Daphnia magna (48h): 70.2 mg/l EyC50 algae, Pseudokirchneriella subcapitata (72 h): 0.0138 mg/l ErC50 algae, Pseudokirchneriella subcapitata (72 h): 0.0218 mg/l LD50 birds, Mallard duck: 1608 mg/kg bw (based on data on the active substance) LD50 honey bees oral, Apis mellifera (48h): >107.2 μg a.s./bee



CLAYTON TACIT Safety Data Sheet according to Regulation (EC) No. 830.2015. Version 1/dsc 26/07/2019 This version replaces all previous versions

Chronic Toxicity NOEC aquatic invertebrates, Daphnia magna (48h): 9.4 mg/l NOEyC algae, Pseudokirchneriella subcapitata (72 h): 0.0032 mg/l NOErC algae, Pseudokirchneriella subcapitata (72h): 0.0032 mg/l

12.2 Persistence and degradability: Moderately persistent, not readily biodegradable (based on data on the active substance)

12.3 Bioaccumulative potential: In fish: BCF: 71.4, low bioaccumulation potential (based on data on the active substance)

12.4 Mobility in soil: Moderately mobile (based on data on the active substance)

12.5 Results of PBT and vPvB assessment: No PBT or vPvB assessments have been carried out on the mixture; please refer to 12.1, 12.2 & 12.3.

12.6 Other adverse effects: Not determined.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal of waste product, contaminated packaging materials and any excess diluted spray should be in accordance with 'The Hazardous Waste (England and Wales) Regulations 2005' and any other applicable local or national legislation (for guidance refer to the MAFF/HSE "Pesticides: Code of Practice for the Safe Use of Pesticides on Farms and Holdings"). For the handling and management of accidental release, follow the information given under Section 6 and 7.

14. TRANSPORT INFORMATION

14.1 UN number UN 3082

14.2 UN Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains flufenacet)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Environmental hazards Land transport ADR/RID

Environmentally Hazardous: Yes Maritime transport IMDG - Marine pollutant: Yes Note: When transported in packages of 5 litres and less (UN3082) these goods are exempt from the main requirements of the transport regulations by virtue of Special Provision 375 of the ADR regulations 2015 for transport by road, Section 2.10.2.7 of the IMDG code 37-14 for transport by sea, and Special Provision A197 of the IATA 56th Edition regulations for transport by air! 14.6 Special Precautions for User Land transport ADR/RID - Tunnel restriction code: - 14.7

Transport in bulk according to Annex II of MARPOL and the IBC Code IBC Code: IBC03

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulations REGULATION (EC) No 1107/2009 of The European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC. REGULATION (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

COMMISSION REGULATION (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

National Regulations/legislation: The Chemicals (Hazard Information & Packaging for Supply) Regulations 2009 (CHIP 4) Health and Safety at Work etc. Act 1974, as amended, the Control of Substances Hazardous to Health Regulations 1999 (COSHH), as amended.

15.2 Chemical Safety Assessment. No Chemical Safety Assessment under Regulation (EC) 1907/2006 is required and has not been carried out.

16. OTHER INFORMATION Abbreviations

and acronyms:

Acute Tox. 4: Acute Toxicity Category 4 Skin

Irrit. 2: Skin irritation Category 2

Eye Irrit. 2: Eye Irritation Category 2

Skin Sens. 1: Skin Sensitization Category 1

STOT RE 2: Specific Target Organ Toxicity - Repeated exposure Category 2

Aquatic Acute 1: Hazardous to the aquatic Environment,

Acute Aquatic Hazard Category 1

Aquatic Chronic 1: Hazardous to the aquatic Environment, Long term Aquatic Hazard Category 1

STOT: Specific Target Organ Toxicity



CLAYTON TACIT Safety Data Sheet according to Regulation (EC) No. 830.2015. Version 1/dsc 26/07/2019 This version replaces all previous versions

Relevant H-statements and precautionary statements not written out in full under Sections 2 to 15: H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H400

Very toxic to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

