<u>CLAYTON RALLY CX</u> Safety Data Sheet according to Regulation (EC) No. 1907/2006. Version 1/dsc 13/12/2021. This version replaces all previous versions.

Section 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier: Product name : Clayton Rally CX . Product type : Mixture
- 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant identified uses Herbicide
- 1.3 Details of the supplier of the safety data sheet:

Clayton Plant Protection (UK) Ltd., Bracetown Business Park, Clonee, Dublin15. Ireland.

Tel: (00 353) 1 8210127 www.claytonpp.com Email: info@claytonpp.com

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life. Category 1. Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effect

2.2 Label elements

Warning H410

Very toxic to aquatic life with long lasting effects.

Special labelling of certain substances and mixtures

EUH401: To avoid risks to human health and the environment, comply with the instructions for use., P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Special labelling of certain substances and mixtures. To avoid risks to man and the environment, comply with the instructions for use

2.3. Other hazards: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB). and toxic).

SECTION 3: Composition/information on ingredients

3.1. Substances Not applicable

3.2. Mixtures

| Registration number | Classification according to | Concentration (% |
|--|---------------------------------|------------------|
| | Regulation (EU) 1272/2008 (CLP) | w/w) |
| Metsulfuron methyl (CAS-No.74223-64-6) (M-Factor: 1,000[Acute] | Aquatic Acute 1; H400 | 20% |
| 1,000[Chronic]) | Aquatic Chronic 1; H410 | |
| Sodium carbonate (CAS-No.497-19-8) (EC-No.207-838-8) 01- | Eye Irrit. 2; H319 | >= 5 - < 10 % |
| 2119485498-19 | | |
| Lignosulfonic acid, sodium salt, sulfomethylated (CAS-No.68512-34-5) | Eye Irrit. 2; H319 | >= 5 - < 10 % |

The above products are compliant to REACH registration obligations; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice: Never give anything by mouth to an unconscious person. For specialist advice physicians should contact the National Poisons Information Service: Tel. 111 for England and Wales and Tel. 08454 24 24 24 for Scotland. Inhalation: Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.

Eye contact: If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.

Ingestion: Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control centre. If victim is conscious: Rinse mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.

4.3. Indication of any immediate medical attention and special treatment needed. Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2) Extinguishing media which : High volume water jet, (contamination risk) shall not be used for safety reasons

5.2. Special hazards arising from the substance or mixture

Specific hazards during firefighting : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO2) Nitrogen oxides (NOx)



CLAYTON RALLY CX Safety Data Sheet according to Regulation (EC) No. 1907/2006. Version 1/dsc 13/12/2021. This version replaces all previous versions.

5.3. Advice for firefighters Special protective equipment for firefighters: Wear full protective clothing and self-contained breathing apparatus.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Control access to area. Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid breathing dust. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.

6.2. Environmental precautions Environmental precautions: Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and materials for containment and cleaning up. Methods for cleaning up:

Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.

Other information: Never return spills in original containers for re-use. Dispose of in accordance

6.4. Reference to other sections For personal protection see section 8., For disposal instructions see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling: Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed. Advice on protection against fire and explosion: Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Store in a place accessible by authorized persons only. Store in original container. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs.

Advice on common storage: No special restrictions on storage with other products.

Other data: Stable under recommended storage conditions.

7.3. Specific end use(s) Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters.

Components with workplace control parameters

Type Form of exposure Control parameters (Expressed as) Update Regulatory basis Remarks Sucrose (CAS-No. 57-50-1)

Time Weighted Average (TWA): 10 mg/m3 2007 UK. EH40 Workplace Exposure Limits (WELs) Short term exposure limit 20 mg/m3 2007 UK. EH40 Workplace Exposure Limits (WELs)

8.2. Exposure controls

Engineering measures: Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Contains no substances with occupational exposure limit values. Eye protection: Safety glasses with side-shields conforming to EN166

Hand protection: Material: Nitrile rubber Glove thickness: 0.3 mm Glove length: Gauntlets Protection index: Class 6 Wearing time: > 480 min Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them with soap and water. Skin and body protection: Manufacturing and processing work: Full protective clothing Type 5 (EN 13982- 2) Mixer and

loaders must wear: Full protection - invariance and processing work: Full protective clothing Type 5 (EN 13982-2) Mixer and loaders must wear: Full protective clothing Type 5 (EN 13982-2) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required.



CLAYTON RALLY CX Safety Data Sheet according to Regulation (EC) No. 1907/2006. Version 1/dsc 13/12/2021. This version replaces all previous versions.

Tractor / sprayer without hood: Low application: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Backpack / knapsack sprayer: Low application: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Mechanical automatized spray application in closed tunnel: No personal body protection normally required.

To optimize the ergonomy it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier. Garment materials that are resistant to both water vapour and air will maximize wearing comfort. Materials should be robust to maintain the integrity and barrier in use. The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure. When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Protective measures: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application. Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations. Wash hands before breaks and at the end of workday.

Respiratory protection: Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149) Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149). Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required. Tractor / sprayer without hood: Low application: Half mask with a particle filter FFP1 (EN149). Backpack / knapsack sprayer: Low application: Half mask with a particle filter FFP1 (EN149). Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form : solid, granular Colour : brown Odour : mild

Odour Threshold: not determined

pH: 9.2 at 10 g/l: Not available for this mixture.

Flash point: Not applicable

Flammability (solid, gas): Does not sustain combustion. Thermal decomposition: Not available for this mixture. Auto-ignition temperature: Not available for this mixture. Oxidizing properties: The product is not oxidizing.

Explosive properties: Not explosive

Lower explosion limit/ lower flammability limit: Not available for this mixture. Upper explosion limit/ upper flammability limit: Not available for this mixture.

Vapour pressure : Not available for this mixture. Relative density : Not available for this mixture.

Bulk density: 660 kg/m3, packed

Water solubility : soluble

Partition coefficient: n-octanol/water: Not applicable

Viscosity, dynamic : no data available

Relative vapour density: Not available for this mixture. Evaporation rate: Not available for this mixture.

9.2. Other information Phys.-chem./other information : No other data to be specially mentioned.

SECTION 10: Stability and reactivity

10.1. Reactivity: No hazards to be specially mentioned.

10.2. Chemical stability: The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.

10.4. Conditions to avoid: Processing temperature: > 140 °C Decomposes on heating. To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.

10.5. Incompatible materials: No materials to be especially mentioned.

10.6. Hazardous decomposition products: Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity LD50 / Rat : > 5,000 mg/kg Method: Fixed Dose Method (Data on the product itself) Information source: Internal study report

Acute inhalation toxicity • Metsulfuron methyl LC50 / 4 h Rat : > 5.3 mg/l



<u>CLAYTON RALLY CX</u> Safety Data Sheet according to Regulation (EC) No. 1907/2006. Version 1/dsc 13/12/2021. This version replaces all previous versions.

Acute dermal toxicity LD50 / Rat : > 5,000 mg/kg Method: OECD Test Guideline 402 (Data on the product itself) Information source: Internal study report

• Metsulfuron methyl LD50 / Rabbit : > 2,000 mg/kg

Skin irritation Rabbit Result: No skin irritation Method: OECD Test Guideline 404 (Data on the product itself) Information source: Internal study report

Eye irritation Rabbit Result: No eye irritation Method: OECD Test Guideline 405 (Data on the product itself) Information source: Internal study report

- Sodium carbonate Rabbit Classification: Irritating to eyes. Result: Irritation to eyes, reversing within 21 days Sensitisation Guinea pig Maximisation Test Result: Animal test did not cause sensitization by skin contact. Method: OECD Test Guideline 406 (Data on the product itself) Information source: Internal study report Repeated dose toxicity
- Metsulfuron methyl The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. Oral Rat Exposure time: 90 d Reduced body weight gain, Liver effects Oral Mouse Exposure time: 90 d NOAEL: > 5,000 mg/kg

Dermal Rabbit Exposure time: 21 d Drying of skin, Cracking of skin, Skin irritation

Dermal Rabbit Exposure time: 21 d NOAEL: 125 mg/kg Drying of skin, Cracking of skin, Skin irritation

Reduced body weight gain, Organ weight changes, Liver

Dermal Rabbit Skin irritation

Mutagenicity assessment • Metsulfuron methyl Animal testing did not show any mutagenic effects. Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Carcinogenicity assessment • Metsulfuron methyl Not classifiable as a human carcinogen. Did not show carcinogenic effects in animal experiments.

Toxicity to reproduction assessment • Metsulfuron methyl No toxicity to reproduction Animal testing did not show any effects on fertility.

Assessment teratogenicity • Metsulfuron methyl Animal testing showed no developmental toxicity.

STOT - single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Aspiration hazard The mixture does not have properties associated with aspiration hazard potential.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish

static test / LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): > 625 mg/l Method: OECD Test Guideline 203 (Data on the product itself) Information source: Internal study report

• Metsulfuron methyl LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): > 150 mg/l

LC50 / 96 h / Lepomis macrochirus (Bluegill sunfish): > 150 mg/l

Toxicity to aquatic plants ErC50 / 72 h / Pseudokirchneriella subcapitata (microalgae): > 1.6 mg/l Method: OECD Test Guideline 201 (Data on the product itself) Information source: Internal study report EC50 / 14 d / Lemna gibba (duckweed): 0.00235 mg/l Method: ASTM E 1415-91 (Data on the product itself) Information source: Internal study report

• Metsulfuron methyl EC50 / 72 h / Anabaena flos-aquae (cyanobacteria): 0.066 mg/l ErC50 / 72 h / Pseudokirchneriella subcapitata (green algae): 0.857 mg/l EbC50 / 72 h / Pseudokirchneriella subcapitata (green algae): 0.165 mg/l EC50 / 14 d / Lemna minor (common duckweed): 0.00036 mg/l

Toxicity to aquatic invertebrates static test / EC50 / 48 h / Daphnia magna (Water flea): > 625 mg/l Method: OECD Test Guideline 202 (Data on the product itself) Information source: Internal study report

• Metsulfuron methyl EC50 / 48 h / Daphnia magna (Water flea): > 120 mg/l

Toxicity to soil dwelling organisms • Metsulfuron methyl LC50 / 14 d / Eisenia fetida (earthworms): > 1,000 mg/kg Toxicity to other organisms LD50 / 48 h / Apis mellifera (bees): 113.7 μg/b Method: OECD Test Guideline 213 Oral (Data on the product itself) Information source: Internal study report LD50 / 48 h / Apis mellifera (bees): > 100 μg/b Method: OECD Test Guideline 214 Contact (Data on the product itself) Information source: Internal study report • Metsulfuron methyl LD50 / Anas platyrhynchos (Mallard duck): > 2,510 mg/kg LC50 / Colinus virginianus (Bobwhite quail): > 5,620 mg/kg LC50 / Anas platyrhynchos (Mallard duck): > 5,620 mg/kg

LD50 / 48 h / Apis mellifera (bees): > 44.30 μg/b Oral LD50 / 48 h / Apis mellifera (bees): > 50.00 μg/b Contact 12.2. Persistence and degradability

Biodegradability Not readily biodegradable. Estimation based on data obtained on active ingredient.

• Metsulfuron methyl According to the results of tests of biodegradability this product is not readily biodegradable. 12.3. Bioaccumulative potential

Bioaccumulation Does not bioaccumulate. Estimation based on data obtained on active ingredient.

- Metsulfuron methyl Species: Lepomis macrochirus (Bluegill sunfish) / Exposure time: 28 d Bioconcentration factor (BCF): 2.0 Method: OECD Test Guideline 305 Does not bioaccumulate.
- 12.4. Mobility in soil. The product is not expected to be mobile in soils.
- 12.5. Results of PBT and vPvB assessment. This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). / This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
- 12.6. Other adverse effects. Additional ecological information. No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.



CLAYTON RALLY CX Safety Data Sheet according to Regulation (EC) No. 1907/2006. Version 1/dsc 13/12/2021. This version replaces all previous versions.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging: Do not re-use empty containers.

SECTION 14: Transport information

ADR

14.1. UN number: 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron methyl)

14.3. Transport hazard class(es): 9

14.4. Packing group: III

14.5. Environmental hazards: Environmentally hazardous14.6. Special precautions for user: Tunnel restriction code: (E)

IATA C

14.1. UN number: 3077

14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Metsulfuron methyl)

14.3. Transport hazard class(es): 9

14.4. Packing group: III

14.5. Environmental hazards: For further information see Section 12.

14.6. Special precautions for user: IATA cargo aircraft only

IMDG

14.1. UN number: 3077

14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Metsulfuron methyl)

14.3. Transport hazard class(es): 9

14.4. Packing group: III

14.5. Environmental hazards: Marine pollutant

14.6. Special precautions for user:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Other regulations: Nomenclature of classified installations for environmental protection: Section 4510. The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 96/82/EC on the control of major-accident hazards involving dangerous substances. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values. 15.2. Chemical safety assessment. A Chemical Safety Assessment is not required for this/these products The mixture is registered as a plant protection product under Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Full text of H-Statements referred to under section 3.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Other information professional use Abbreviations and acronyms ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute toxicity estimate CAS-No. Chemical Abstracts Service number CLP Classification, Labelling and Packaging EbC50 Concentration at which 50% reduction of biomass is observed EC50 Median effective concentration EN European Norm EPA Environmental Protection Agency ErC50 Concentration at which a 50% inhibition of growth rate is observed EyC50 Concentration at which 50% inhibition of yield is observed IATA_C International Air Transport Association (Cargo) IBC International Bulk Chemical Code ICAO International Civil Aviation Organization ISO International Standard Organization IMDG International Maritime Dangerous Goods LC50 Median Lethal Concentration LD50 Median Lethal Dose LOEC Lowest Observed Effect Concentration LOEL Lowest observed effect level MARPOL International Convention for the Prevention of Marine Pollution from Ships n.o.s. Not Otherwise Specified NOAEC No Observed Adverse Effect Concentration NOAEL No observed adverse effect level NOEC No Observed Effect Concentration NOEL No Observed Effect Level OECD Organisation for Economic Co-operation and Development OPPTS Office of Prevention, Pesticides and Toxic Substances PBT Persistent, Bioaccumulative and Toxic STEL Short term exposure limit TWA Time Weighted Average (TWA): vPvB very Persistent and very Bioaccumulative Further information Take notice of the directions of use on the label.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

