

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name : CLAYTON FACET XL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use : Herbicide

1.3 Details of the supplier of the safety data sheet

Clayton Plant Protection Ltd., Bracetown Business Park, Clonee, Dublin15. Ireland.
Tel: (00 353) 1 8210127 www.claytonpp.com Email: info@claytonpp.com

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended. Acute toxicity: Category 4 H302 Harmful if swallowed. Specific target organ toxicity - repeated exposure: Category 2 H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed. Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life. Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended. Hazard label for supply/use required.

Hazardous components which must be listed on the label: • Flufenacet • Diflufenican



Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains Flufenacet, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use. Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTRE/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards No other hazards known.

Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).

This substance is not considered to be very persistent and very bioaccumulative (vPvB).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature Suspension concentrate (=flowable concentrate)(SC) Flufenacet 400 g/l, Diflufenican 100 g/l

Hazardous components - Hazard statements according to Regulation (EC) No. 1272/2008

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]
Flufenacet	142459-58-3	Acute Tox. 4, H302 STOT RE 2, H373 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	33.60
Diflufenican	83164-33-4	Aquatic Chronic 3, H412	8.4
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.00015 – < 0.0015
Glycerine	56-81-5 200-289-5 01-2119471987-18-XXXX	Not classified	> 1
Pyrogenic (fumed) amorphous silica	112945-52-5 231-545-4 01-2119379499-16-XXXX	Not classified	<= 0.5

Further information

Flufenacet 142459-58-3 M-Factor: 100 (acute), 100 (chronic)

Reaction mass of 5- chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1) 55965-84-9 M-Factor: 100 (acute), 100 (chronic)

Reaction mass of 5- chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1) 55965-84-9 SCL: Skin Corr. 1C; H314: SCL >= 0.6 %

Reaction mass of 5- chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1) 55965-84-9 SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %

Reaction mass of 5- chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1) 55965-84-9 SCL: Eye Dam. 1; H318: SCL >= 0.6 %

Reaction mass of 5- chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1) 55965-84-9 SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %

Reaction mass of 5- chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1) 55965-84-9 SCL: Skin Sens. 1A; H317: SCL >= 0.0015 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable position (lying sideways).

Remove contaminated clothing immediately and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or poison control centre immediately. **Skin contact** Wash off thoroughly with plenty of soap and water, if available with polyethylene glycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control centre immediately. Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur: Shortness of breath, Drowsiness, Headache, Tiredness, Dizziness, Nausea, Breathing difficulties, tachycardia

Symptoms and hazards refer to effects observed after intake of significant amounts of the active

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

ingredient(s). The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis.

4.3 Indication of any immediate medical attention and special treatment needed

Risks Danger of formation of methaemoglobin.

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. In case of methaemoglobinemia, oxygen and specific antidotes (methylene blue/ toluidine blue) should be given.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture. In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters Special protective equipment for firefighters. In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060). Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only.

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feeding-stuffs. Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No	Control parameters	Update	Basis
Flufenacet	142459-58-3	0.3 mg/m3 (SK-SEN)		OES
Diflufenican	83164-33-4	5.5 mg/m3 (TWA)		OES
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	12 2011	EH40 WEL

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment. In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection. Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material - Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mm

Protective index Class 6 Directive Protective gloves complying with EN 374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If there is a risk of significant exposure, consider a higher protective type of suit.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour white to beige

Odour weak, characteristic

Odour Threshold No data available pH 4.0 - 6.5 (100 %) (23 °C)

Melting point/range No data available

Boiling Point No data available

Flash point > 100 °C No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature No data available

Minimum ignition energy No data No data available

Self-accelerating decomposition temperature (SADT) No data available

Upper explosion limit No data available

Lower explosion limit No data available

Vapour pressure No data available

Evaporation rate No data available

Relative vapour density No data available

Relative density No data available

Density ca. 1.19 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-octanol/water Flufenacet: log Pow: 3.2 Diflufenican: log Pow: 4.2

Viscosity, dynamic No data available

Viscosity, kinematic No data available

Oxidizing properties No data available

Explosivity No data available

9.2 Other information. Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 500 - < 2,000 mg/kg Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 2.078 mg/l Exposure time: 4 h Highest attainable concentration. Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit) Test conducted with a similar formulation.

Serious eye damage/eye irritation No eye irritation (Rabbit) Test conducted with a similar formulation.

Respiratory or skin sensitisation Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure Flufenacet: Based on available data, the classification criteria are not met. Diflufenican: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure Flufenacet caused neurobehavioral effects and/or neuropathological changes in animal studies. Diflufenican did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity Flufenacet was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity Flufenacet was not carcinogenic in lifetime feeding studies in rats and mice. Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction Flufenacet did not cause reproductive toxicity in a two-generation study in rats. Diflufenican did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity Flufenacet caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Flufenacet are related to maternal toxicity. Diflufenican did not cause developmental toxicity in rats and rabbits.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Cyprinus carpio (Carp)) 54.9 mg/l Exposure time: 96 h

Chronic toxicity to fish Cyprinus carpio (Carp) NOEC: 12.5 mg/l Exposure time: 96 h

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 68.2 mg/l Exposure time: 48 h

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.00885 mg/l Growth rate; Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)) 8.85 µg/l Growth rate; Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)) 0.916 µg/l Growth rate; Exposure time: 72 h

ErC50 (Lemna gibba (gibbous duckweed)) 129 µg/l Growth rate; Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)) < 25.0 µg/l Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability Flufenacet Not rapidly biodegradable

Diflufenican: Not rapidly biodegradable

Koc Flufenacet: Koc: 202 Diflufenican: Koc: 3417

12.3 Bioaccumulative potential Bioaccumulation Flufenacet: Bioconcentration factor (BCF) 71 Does not bioaccumulate. Diflufenican: Bioconcentration factor (BCF) 1,596 Does not bioaccumulate.

12.4 Mobility in soil Mobility in soil Flufenacet: Moderately mobile in soils Diflufenican: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects. Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product. In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging. Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet. Waste key for the unused product 02 01 08* agrochemical waste containing hazardous substances

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

- 14.1 UN number 3082
- 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
- 14.3 Transport hazard class(es) 9
- 14.4 Packaging Group III
- 14.5 Environm. Hazardous Mark YES Hazard no. 90 Tunnel Code - This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

- 14.1 UN number 3082
- 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
- 14.3 Transport hazard class(es) 9
- 14.4 Packaging Group III
- 14.5 Marine pollutant YES

IATA

- 14.1 UN number 3082
- 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
- 14.3 Transport hazard class(es) 9
- 14.4 Packaging Group III
- 14.5 Environm. Hazardous Mark YES

UK 'Carriage' Regulations

- 14.1 UN number 3082
- 14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET, DIFLUFENICAN SOLUTION)
- 14.3 Transport hazard class(es) 9
- 14.4 Packaging Group III
- 14.5 Environm. Hazardous Mark YES Emergency action code 3Z
- 14.6 Special precautions for user See sections 6 to 8 of this Safety Data Sheet.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348) Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999 Further information WHO-classification: II (Moderately hazardous)

- 15.2 Chemical safety assessment : A chemical safety assessment is not required.

CLAYTON PLANT PROTECTION

CLAYTON FACET XL Safety Data Sheet according to Regulation (EC) No. 1907/2006 .
Version 1/dsc 16/07/2021. This version replaces all previous versions.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute toxicity estimate CAS-Nr. Chemical Abstracts Service number Conc. Concentration EC-No. European community number ECx Effective concentration to x % EH40 WEL Worker Exposure Limit EINECS European inventory of existing commercial substances ELINCS European list of notified chemical substances EN European Standard EU European Union IATA International Air Transport Association IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) ICx Inhibition concentration to x % IMDG International Maritime Dangerous Goods LCx Lethal concentration to x % LDx Lethal dose to x % LOEC/LOEL Lowest observed effect concentration/level MARPOL MARPOL: International Convention for the prevention of marine pollution from ships N.O.S. Not otherwise specified NOEC/NOEL No observed effect concentration/level OECD Organization for Economic Co-operation and Development RID Regulations concerning the International Carriage of Dangerous Goods by Rail SI Statutory Instrument TWA Time weighted average UN United Nations WHO World health organisation

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.